




Food supply as a percentage of nutritional requirements vs GDP



Edible crop harvest (including crops fed to livestock) as a percentage of nutritional requirements vs GDP



Losses in global food supply from field to fork



Source: Data from Smil (2001) after Bender (1994); diagram after Britt-Louise Andersson in Lundqvist (2008).







Stack of plastic containers filled with fresh raspberries.

Two trays of dark cherries with labels.

Bag of 'perfectly ripe' conference pears.

Bag of 'classic vine' tomatoes with 'BUY 2 FOR £3' label.

Tray of baby vegetables medley.

Tray of baby corn and sugar snap peas.

Two bags of potatoes: 'REGIONAL' and 'dixie'. Includes text: 'A Scottish variety first grown in 1875. This yellow-fleshed and long-tubed potato is harvested just before maturity for flavour and texture. Steam or boil to enjoy its...'

Large brown bowl containing a variety of fresh fruits including peaches, nectarines, blackberries, and blueberries.

Clear plastic container containing a mix of green and red grapes.

Large bunch of fresh green herbs, likely mint.

Tray containing several fennel bulbs and a bunch of green peas.

Organic grapefruit.

Large yellow melon.







































CO₂ savings from feeding waste food to Anerobic Digesters and to pigs



CO₂ savings from feeding waste food to Anerobic Digesters and to pigs
- taking into account land use change to produce soymeal
- impact of deforestation spread over 20 years worth of soy harvesting



We want your
KITCHEN WASTE



KEEP IT DRY, FREE FROM GLASS, BONES, TINS, ETC.
IT ALSO FEEDS POULTRY... YOUR COUNCIL WILL COLLECT